



**de Heus- XCMG**  
Stougjesdijk 153 3271 KB  
Mijnsheerenland NL  
info@heustractors.com  
+31 (0) 186 61 2333



## XCMG XE215-EV

Fitted as standard with:

- Electric 140 KW motor
- 423Kwh battery pack
- Hammer function
- Sorting function
- Air conditioning
- Rear camera

€0.00

### Specifications

#### DIMENSIONS

Cabin width	2990
Counterweight free space	1100
Cradle base	3452
Ground clearance	490
Height of tracks	950
Height to top of roof	3145
Max. Digging depth	6680
Max. Digging height	9620
Max. Tipping height	6780
Max. Vertical digging depth	6500
Max. excavation radius	9940
Min. forcing radius	3530
Overall length with bin	9720
Overall width	2990
Platform width	2940
Width of tracks	900

## ENGINE

Cooling

Liquid

## HYDRAULIC SYSTEM

Driving system pressure	330
Main pressure safety valve	350
Main pump output	221
Steering pressure	40
Swing system pressure	265

## TECHNICAL SPECIFICATIONS

Arm digging force	111
Ground pressure	48.5
Max traction force	210
Max. Digging force	149
Rotation speed	12

## WEIGHT

Own weight	23500
------------	-------

## Pictures







